

## RhodeCode CE/EE - Task #4051

### [ux, rendering] Consistent formatting on text fields.

29.06.2016 00:00 - Marcin Kuzminski [staff]

<b>Status:</b> New	<b>Start date:</b> 06.09.2016
<b>Priority:</b> Normal	<b>Due date:</b>
<b>Assignee:</b>	<b>% Done:</b> 50%
<b>Category:</b>	<b>Estimated time:</b> 0.00 hour
<b>Target version:</b> v4.11	<b>Spent time:</b> 0.00 hour
<b>Sorting:</b>	<b>Commit Number:</b>
<b>Description</b> Currently we have various fields formatted and wrapped in markdown formatters. <ul style="list-style-type: none"><li>• For comments we use rst or MD formatter</li><li>• For Commit messages we use urlify_commit_Message</li><li>• for readme we use formatter based on the file extensions</li><li>• for Pull requests we use Markdown/rst formatters</li></ul> Some of those formatters are inconsistent, ie commit messages vs commit commits. We need a quick iteration and find a subset that would make all those behave consistent. Functionality within text fields which should be included: <ul style="list-style-type: none"><li>• consistent formatting based on chosen renderer in <code>_admin/settings/visual</code></li><li>• @-mentions</li><li>• issue tracker patterns</li><li>• linkification of urls</li></ul>	
<b>Subtasks:</b> Task # 4215: [ux] identify all text renderers <span style="float: right;"><b>Closed</b></span> Task # 4216: [ux, renderers] implement consistent rendering for text fields <span style="float: right;"><b>New</b></span>	
<b>Related issues:</b> Related to RhodeCode CE/EE - Task #4153: Optimize readme fetching by changing... <span style="float: right;"><b>Resolved</b>    <b>05.08.2016</b></span>	

### History

#### #1 - 30.06.2016 16:14 - Lisa Quatmann

This is similar to an issue I wanted to bring up in refinement; I've prepared some notes about it when we're ready to tackle it.

#### #2 - 21.07.2016 23:44 - Marcin Kuzminski [staff]

- Target version changed from v4.3 to v4.4

#### #3 - 06.09.2016 11:35 - Lisa Quatmann

- Subject changed from *Consistent formatting on text fields.* to *[ux, rendering] Consistent formatting on text fields.*

#### notes from refinement meeting 06.09.2016

- renderer is currently a global option but will be made per-repo
- file rendering should remain the same, based on file extension
- text fields should be the same everywhere; can be confusing if functionality is inconsistent
- need to make a list of all renderers
- implementation: flip flags to expose mentions, etc.

**#4 - 06.09.2016 11:42 - Lisa Quatmann**

- *Description updated*

**#7 - 06.09.2016 12:21 - Lisa Quatmann**

- *Related to Task #4153: Optimize readme fetching by changing the system of readme detection added*

**#8 - 15.09.2016 13:18 - Marcin Kuzminski [staff]**

- *Target version changed from v4.4 to v4.5*

**#9 - 07.11.2016 16:24 - Marcin Kuzminski [staff]**

- *Target version changed from v4.5 to v4.6*

**#10 - 30.01.2017 20:19 - Marcin Kuzminski [staff]**

- *Target version changed from v4.6 to v4.7*

**#11 - 04.04.2017 11:33 - Marcin Kuzminski [staff]**

- *Target version changed from v4.7 to v4.8*

**#12 - 20.06.2017 15:29 - Marcin Kuzminski [staff]**

- *Target version changed from v4.8 to v4.10*

**#13 - 22.09.2017 10:27 - Marcin Kuzminski [staff]**

- *Target version changed from v4.10 to v4.11*