

RhodeCode CE/EE - Feature #4207

Support for obsolescence markers in changelog UI

30.08.2016 18:29 - Yohan Trudel

Status:	Resolved	Start date:	30.08.2016
Priority:	Normal	Due date:	
Assignee:		% Done:	0%
Category:		Estimated time:	0.00 hour
Target version:	v4.8	Spent time:	0.00 hour
Sorting:		Commit Number:	
Description			
rccontrol 1.6.4 / vcserver 4.3.1 / community 4.3.1			
Support for obsolescence markers was added in Mercurial 2.3 but obsolete changesets are showing in the web interface for a repository.			
It would be nice if they were hidden from the UI by default (as they are in hg log) with perhaps an option to make them visible (hg log --hidden).			

History

#1 - 30.08.2016 18:32 - Marcin Kuzminski [CTO]

- Target version set to v4.4

#2 - 14.09.2016 23:18 - Marcin Kuzminski [CTO]

- Target version changed from v4.4 to v4.5

#3 - 18.10.2016 17:03 - Marcin Kuzminski [CTO]

- Target version changed from v4.5 to v4.6

#4 - 30.01.2017 20:19 - Marcin Kuzminski [CTO]

- Target version changed from v4.6 to v4.7

#5 - 28.03.2017 21:02 - Marcin Kuzminski [CTO]

- Target version changed from v4.7 to v4.8

#6 - 19.05.2017 16:14 - Marcin Kuzminski [CTO]

- Status changed from New to Resolved

implemented in 4.8