

Documentation - Task #5408

Udate nginx documentation for non standard SSL port

02.12.2017 16:04 - Maurice Müller

Status:	Resolved	Start date:	02.12.2017
Priority:	Low	Due date:	
Assignee:		% Done:	0%
Category:		Estimated time:	0.00 hour
Target version:		Spent time:	0.00 hour
Sorting:		Commit Number:	
Description			
<p>I'm currently in an evaluation process for rhodecode. During my test setup it give me a headache that the given nginx example was not working fully in my set up (login and logout were getting a timeout although the user was logged in / out).</p> <p>After a long search I figured out that the non standard SSL port was the issue. This can easily be fixed by replacng the following in the proxy.conf file (https://docs.rhodecode.com/RhodeCode-Enterprise/admin/nginx-tuning.html) :</p> <p>replace: proxy_set_header Host \$host; with: proxy_set_header Host \$host:\$server_port;</p> <p>I hope this helps some other guys in the future ;)</p>			

History

#1 - 02.12.2017 23:23 - Marcin Kuzminski [CTO]

Hi,

Thanks for the suggestion. We looked at this, and it seem using \$http_host instead of \$host would solve your problem, and generally would be a safer solution.

This is better than \$host:\$server_port because it uses the port as present in the URL, unlike \$server_port which uses the port that nginx listens on.

Could you confirm this works for you, we'll update our example nginx config then

#2 - 04.12.2017 15:28 - Maurice Müller

Hi Marcin,

I can confirm that this setup is working as well. Thanks for the suggestion! I'll use this config form now on.

#3 - 04.12.2017 15:37 - Marcin Kuzminski [CTO]

- Status changed from New to Resolved

Thanks for confirmation. Closing this one.

#4 - 12.07.2018 23:21 - Marcin Kuzminski [CTO]

- Project changed from Enterprise-docs to Documentation