

RhodeCode Tools - Bug #5450

rhodecode-api get_license_info no longer works

19.03.2018 18:16 - Gildas Fargeas

Status:	New	Start date:	19.03.2018
Priority:	Normal	Due date:	
Assignee:		% Done:	0%
Category:		Estimated time:	0.00 hour
Target version:		Affected Version:	
Sorting:			
Commit Number:			

Description

I just noticed that but it seems the method `get_license_info` no longer works in the api.
I get the same error using either a curl request or rhodecode-api bin. I also checked `get_users` and it works fine.
Can you reproduce this error ?

```
ERROR: Backend server at `http://127.0.0.1:10002/_admin/api` returned non 2XX http code (500). Please make sure it is running and accepting connections. Original response: <!DOCTYPE html>
<html xmlns="http://www.w3.org/1999/xhtml">
  <head>
    <title>Error - 500 Internal Server Error</title>
    <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
    <meta name="robots" content="index, nofollow"/>
    <link rel="icon" href="/_static/rhodecode/images/favicon.ico" sizes="16x16 32x32" type="image/png" />
    <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
    <link rel="stylesheet" type="text/css" href="/_static/rhodecode/css/style.css" media="screen"/>
    <!--[if IE]>
      <link rel="stylesheet" type="text/css" href="/_static/rhodecode/css/ie.css" media="screen"/>
    <![endif]-->
    <style>body { background:#eeeeee; }</style>
    <script type="text/javascript">
      // register templateContext to pass template variables to JS
      var templateContext = {timeago: {}};
    </script>
    <script type="text/javascript" src="/_static/rhodecode/js/scripts.js"></script>
  </head>
  <body>
    <div class="wrapper error_page">
      <div class="sidebar">
        <a href="/"></a>
      </div>
      <div class="main-content">
        <h1>
          <span class="error-branding">
            RhodeCode
          </span><br/>
          500 Internal Server Error | <span class="error_message">The server has either erred or is incapable of performing the requested operation.</span>
        </h1>
        <div class="inner-column">
          <h4>Possible Causes</h4>
          <ul>
            <li>Server is overloaded.</li>
          </ul>
        </div>
      </div>
    </div>
  </body>
</html>
```

```

                <li>Server database connection is lost.</li>
                <li>Server expected unhandled error.</li>
            </ul>
        </div>
        <div class="inner-column">
            <h4>Support</h4>
            <p>For support, go to <a href="https://rhodecode.com/help/" target="_blank">Su
pport</a>.
                It may be useful to include your log file; see the log file locations <a hr
ef="https://rhodecode.com/r1/enterprise/docs/admin-system-overview/">here</a>.
            </p>
        </div>
        <div class="inner-column">
            <h4>Documentation</h4>
            <p>For more information, see <a href="https://rhodecode.com/r1/enterprise/docs
/">docs.rhodecode.com</a>.</p>
        </div>
    </div>
</div>
</body>
</html>
None

```

History

#1 - 23.03.2018 10:04 - Marcin Kuzminski [staff]

Hi Gildas,

Can you check on server side what 500 error calling this method generates?

#2 - 17.07.2018 15:01 - Gildas Fargeas

Hi, finally got the chance to get back on this matter. We are running rhodecode 4.12.2 and rhodecode-api v0.14.1.

Thanks in advance about that :)

I got the trace of this error below :

```

2018-07-17 14:48:52.919 INFO [rhodecode.api] Access for IP:127.0.0.1 allowed
2018-07-17 14:48:52.927 ERROR [rhodecode.config.middleware] error occurred handling this request for path: /_a
dmin/api
Traceback (most recent call last):
  File "/opt/rhodecode/store/lnzg7yaxbpy59hpvax55s8s3w2kzyka8-python2.7-pyramid-1.9.1/lib/python2.7/site-packa
ges/pyramid/tweens.py", line 39, in excview_tween
    response = handler(request)
  File "/opt/rhodecode/store/lnzg7yaxbpy59hpvax55s8s3w2kzyka8-python2.7-pyramid-1.9.1/lib/python2.7/site-packa
ges/pyramid/router.py", line 156, in handle_request
    view_name
  File "/opt/rhodecode/store/lnzg7yaxbpy59hpvax55s8s3w2kzyka8-python2.7-pyramid-1.9.1/lib/python2.7/site-packa
ges/pyramid/view.py", line 642, in _call_view
    response = view_callable(context, request)
  File "/opt/rhodecode/store/lnzg7yaxbpy59hpvax55s8s3w2kzyka8-python2.7-pyramid-1.9.1/lib/python2.7/site-packa
ges/pyramid/config/views.py", line 181, in __call__
    return view(context, request)
  File "/opt/rhodecode/store/lnzg7yaxbpy59hpvax55s8s3w2kzyka8-python2.7-pyramid-1.9.1/lib/python2.7/site-packa
ges/pyramid/viewderivers.py", line 390, in attr_view
    return view(context, request)
  File "/opt/rhodecode/store/lnzg7yaxbpy59hpvax55s8s3w2kzyka8-python2.7-pyramid-1.9.1/lib/python2.7/site-packa
ges/pyramid/viewderivers.py", line 368, in predicate_wrapper
    return view(context, request)
  File "/opt/rhodecode/store/lnzg7yaxbpy59hpvax55s8s3w2kzyka8-python2.7-pyramid-1.9.1/lib/python2.7/site-packa
ges/pyramid/viewderivers.py", line 410, in viewresult_to_response
    result = view(context, request)
  File "/opt/rhodecode/store/lnzg7yaxbpy59hpvax55s8s3w2kzyka8-python2.7-pyramid-1.9.1/lib/python2.7/site-packa
ges/pyramid/viewderivers.py", line 148, in _requestonly_view
    response = view(request)
  File "/opt/rhodecode/store/v5v407yacsjjwwf47sdim5m2jx7baz8x-python2.7-rhodecode-enterprise-ce-4.12.2/lib/pyt

```

```
hon2.7/site-packages/rhodecode/api/__init__.py", line 234, in request_view
    argspec = inspect.getargspec(func)
  File "/opt/rhodecode/store/g7qzsl3a8sb23daxgs3gin4j22dhs3sw-python-2.7.12/lib/python2.7/inspect.py", line 81
6, in getargspec
    raise TypeError('{!r} is not a Python function'.format(func))
TypeError: <cyfunction get_license_info at 0x7f786af40350> is not a Python function
```