

RhodeCode CE/EE - Feature #5543

Repo API should have equivalent get_repo_audit_logs() to User API call get_user_audit_logs()

26.02.2019 12:22 - Peter Colledge

Status:	New	Start date:	26.02.2019
Priority:	Normal	Due date:	
Assignee:		% Done:	0%
Category:		Estimated time:	0.00 hour
Target version:		Spent time:	0.00 hour
Sorting:		Commit Number:	
Description			
I achieved this with an over-simplified copy-and-paste for now:			
<pre>diff --git a/rhodecode/api/views/repo_api.py b/rhodecode/api/views/repo_api.py --- a/rhodecode/api/views/repo_api.py +++ b/rhodecode/api/views/repo_api.py @@ -2063,3 +2063,19 @@ def maintenance(request, apiuser, repoid log.exception("Exception occurred while trying to run maintenance") raise JSONRPCError('Unable to execute maintenance on `%s`' % repo.repo_name) + +@jsonrpc_method() +def get_repo_audit_logs(request, apiuser, repoid=Optional(OAttr('apirepo'))): + if not has_superadmin_permission(apiuser): + raise JSONRPCError('Access denied') + + repoid = Optional.extract(repoid, evaluate_locals=locals()) + repoid = getattr(repoid, 'repo_id', repoid) + repo = get_repo_or_error(repoid) + + ret = [] + + # show all repo actions + for entry in RepoModel().get_repo_log(repo, filter_term=None): + ret.append(entry) + return ret</pre>			